
ATLANTIC STATES MARINE FISHERIES COMMISSION

REVIEW OF THE INTERSTATE FISHERY MANAGEMENT PLAN

FOR SPANISH MACKEREL (Scomberomorus maculatus)

2014 FISHING YEAR



Prepared by the Plan Review Team

Approved by the South Atlantic Management Board

Table of Contents

| I. | Status of the Plan | 3 |
|-------|--|------|
| II. | Status of the Stocks | 4 |
| III. | Status of the Fishery | 4 |
| IV. | Status of Assessment Advice | 5 |
| V. | Status of Research and Monitoring | 5 |
| VI. | Status of Management Measures | 6 |
| VII. | Implementation of FMP Compliance Requirements for 2014 | 8 |
| VIII. | Recommendations of the Plan Review Team | 9 |
| IX. | References | . 10 |
| X. | Figures | . 12 |
| XI. | Tables | . 13 |

I. Status of the Plan

<u>Date of FMP Approval</u>: Original FMP – October 1990

Amendments: Omnibus Amendment to Spanish Mackerel, Spot, and

Spotted Seatrout (Amendment 2)- August 2011

Addendum I- August 2013

Management Area: The Atlantic coast distribution of the resource from New

York through the east coast of Florida

Active Boards/Committees: South Atlantic State/Federal Fisheries Management Board;

Spanish Mackerel Plan Review Team

The Fishery Management Plan (FMP) for the Coastal Migratory Pelagic Resources (1983 and subsequent amendments) and the Interstate Fishery Management Plan for Spanish Mackerel (1990) manage Atlantic group Spanish Mackerel in federal and state Atlantic waters from New York through the east coast of Florida. All states in that range, excluding Pennsylvania, have a declared interest in the Interstate FMP for Spanish Mackerel. The South Atlantic State/Federal Fisheries Management Board serves as the Commission's Spanish Mackerel Management Board. The Interstate FMP for Spanish Mackerel is a flexible document intended to track the federal FMP; thus, the South Atlantic Fishery Management Council (SAFMC) has the lead on Atlantic group Spanish mackerel management.

The SAFMC manages Atlantic group Spanish Mackerel based on guidance from its Scientific and Statistical Committee (SSC). The SAFMC determines needed adjustments to regulatory measures, including allowable catch, bag limits, size limits, and trip limits. The SAFMC deliberations are assisted by a Mackerel Committee that includes representatives from the Mid-Atlantic Fishery Management Council, and an Advisory Panel with South Atlantic and Mid-Atlantic industry representation. Since the Coastal Migratory Pelagic Resources FMP is a joint plan with the Gulf of Mexico Fishery Management Council (GMFMC), any amendments to this FMP must be approved by both Councils.

The SAFMC and GMFMC approved Amendment 18 to the Coastal Migratory Pelagic Resources FMP in December 2011 which established a new Allowable Biological Catch (ABC) based on the SSC recommendation of using median landings of the last 10 years (2001-2011). With this change, the ABC was set equal to the Annual Catch Limit (ACL) and Optimum Yield (OY) [ABC=ACL=OY] at approximately 5.29 million lbs. With this the commercial ACL was 3.13 million lbs and the recreational ACL was 2.56 million lbs.

Under the federal FMP, the 2013-2014 fishing year ran from March 1, 2013 to February 28, 2014. The 2014-2015 fishing year began on March 1st, 2014. The federal FMP divides the commercial fishery into a quota system between the Atlantic and Gulf migratory groups. Within the Atlantic migratory group, there are two zones- the Northern (consisting of the states from New York through North Carolina) and the Southern (South Carolina to Florida). For the Atlantic migratory group, the 2013/2014 year, the full quota was 3.13 million pounds and the adjusted quota was 2.88 million pounds. The adjusted quota is used to determine trip limit reductions. For the 2014/2015 fishing season, the full quota was increased to 3.33 million pounds following CMP Framework Amendment 1 (See *Section VI*).

The federal commercial trip limit was a year-round 3,500 pound daily possession/landings limit for the states from New York through Georgia, with Florida's commercial trip limit varying depending on the percent of quota remaining. Following the implementation of Amendment 20B and CMP Framework Amendment 2, the federal trip limit for the Southern zone (SC through FL) decreases as quota is caught. When 75% of the "adjusted" Southern Zone quota (1,812,998 lbs ww) is caught, the trip limit is reduced from 3,500 lbs to 1,500 lbs. When 100% of the adjusted Southern Zone quota (2,417, 330 lbs ww) is caught, the commercial trip limit is further reduced to 500 lbs. When 100% of the Southern Zone quota is met, harvest is prohibited for the remainder of the fishing year. In both the Northern and Southern zones, the recreational bag limit is set at 15 fish. The minimum size limit for both fisheries is 12" fork length or 14" total length.

The goals of the interstate FMP are to complement federal management in state waters, to conserve the Atlantic group Spanish Mackerel resource throughout its range, and to achieve compatible management among the states that harvest Spanish Mackerel. In accordance with the 2011 Omnibus Amendment, the updated FMP's objectives are to: (1.) Manage the Spanish Mackerel fishery by restricting fishing mortality to rates below the threshold fishing mortality rates to provide adequate spawning potential to sustain long-term abundance of the Spanish Mackerel populations. (2.) Manage the Spanish Mackerel stock to maintain the spawning stock biomass above the target biomass levels. (3.) Minimize endangered species bycatch in the Spanish Mackerel fishery. (4.) Provide a flexible management system that coordinates management activities between state and federal waters to promote complementary regulations throughout Spanish Mackerel's range which minimizes regulatory delay while retaining substantial ASMFC, Council, and public input into management decisions; and which can adapt to changes in resource abundance, new scientific information and changes in fishing patterns among user groups or by area. (5.) Develop research priorities that will further refine the Spanish Mackerel management program to maximize the biological, social, and economic benefits derived from the Spanish Mackerel population. See Table 1 for state Spanish Mackerel regulations in 2014.

II. Status of the Stocks

The Atlantic coast Spanish Mackerel resource is not experiencing overfishing and the stock is not overfished (SEDAR. 2012). As updated in the SEDAR 28 Stock Assessment Report, the current stock biomass is estimated to be SSB₂₀₁₁/MSST=2.29. The current level of fishing (exploitation rate) was F₂₀₀₉₋₂₀₁₁/F_{MSY}=0.526, with F₂₀₁₁/F_{MSY}=0.521. The overfished ratio (B/B_{MSY}) shows that the biomass declined as a result of the high fishing mortality but has increased in recent years and remains above B_{MSY} (Figure 1). The overfishing ratio (F/Fmsy) shows that fishing mortality increased from the late 1970s through 1994 but has since declined (Figure 2). Fishery-dependent data also indicate an increasing biomass trend (except during the last four years which show a decline). The current fishing mortality rate does not seem to be inhibiting stock growth.

III. Status of the Fishery

Spanish Mackerel are an important recreational and commercial fishery in South Atlantic waters, with recreational landings north of Maryland limited and sporadic (Tables 2 and 4). Trip limits implemented in state and federal waters continue to prevent premature closure of the commercial fishery. Total landings of Spanish Mackerel in 2014 are estimated at 4.4 million pounds (compared to the 6.063 million pound ACL). The commercial fishery harvested approximately 70.7% of the total, and the recreational fishery about 29.3%.

¹ The adjusted quota is the Southern Zone quota minus 250,000 lbs.

From 1960 to 2014, commercial landings of Atlantic coast Spanish Mackerel have ranged between 1.9 and 11.1 million pounds, although that range is limited to between 1.9 and 6.0 million pounds if the unusually large harvests in 1976-77 and 1980 are excluded. Since 1981, total landings have averaged 5.12 million pounds. Coastwide commercial landings have generally been below 4 million pounds since 1995 (exception of 2010; landings of 4.53 million pounds); this coincided with the entanglement net ban in Florida. Gill nets were the dominant commercial gear in Florida prior to the ban. After the ban was instituted, the use of cast nets increased. The 2014 commercial landings were 3.272 million pounds (Figure 3), of which 2.585 million pounds were landed in Florida (79% of the harvest). North Carolina harvested approximately 21% of the total 2014 landings (Table 2).

Recreational anglers harvested an estimated 886,000 Spanish Mackerel (1.14 million pounds) in 2014, a decrease from the 1.19 million fish caught in 2013 (Tables 3 and 4). The number of recreationally harvested fish appears to show a cyclical trend, with low harvests in the early to mid 80s and mid to late 90s, interspersed with higher harvests (Figure 4). Florida and North Carolina continue to account for the majority of recreational landings in both number and weight. In 2014, Florida harvested 43% of the total number of fish and North Carolina 45%. The number of recreational releases of Spanish Mackerel has generally increased over time, reaching a peak of over 930,000 fish in 2008 (Table 5, Figure 4). Recreational releases in 2014 were an estimated 490,000 fish.

IV. Status of Assessment Advice

The most recent stock assessment was completed in 2012 through the Southeast Data, Assessment, and Review (SEDAR) process (SEDAR 2012). The input data (through 2011) were applied to two assessment models, with the primary model being a statistical catch at age model called the Beaufort Assessment Model (BAM); while a secondary surplus-production model (ASPIC) provided a comparison of model results. The Review Panel concluded that the statistical catch at age model was the most appropriate model to characterize the stock status for management purposes.

The SSC reviewed the assessment during its December 2012 meeting and accepted the SEDAR 28 Spanish Mackerel stock assessment as best available science. The SSC concurred with the Review Panel's conclusion that the stock is not experiencing overfishing and the stock is not overfished.

V. Status of Research and Monitoring

The National Marine Fisheries Service (NMFS) Southeast Fisheries Science Center (SEFSC) continues to monitor length and weight at age and size frequencies, fishing mortality, and migration; collect age data and catch per unit effort by area, season, fishery, and gear; monitor shrimp trawl bycatch; investigate methods to predict year class strength; calculate estimates of recruitment, and develop conservation gear to reduce bycatch. The NMFS is also collecting discard data through a bycatch logbook in the mackerel and snapper-grouper fisheries. The Gulf and South Atlantic Fisheries Development Foundation and several states (North Carolina, South Carolina, Georgia, and Florida) have evaluated finfish bycatch in the southeastern shrimp trawl fishery, including bycatch of Spanish Mackerel. The South Atlantic component of the Southeast Area Monitoring and Assessment Program (SEAMAP) collects Spanish Mackerel data in its coastal trawl survey from Cape Hatteras to Cape Canaveral. Additionally, the Northeast Area Monitoring

and Assessment Program (NEAMAP) began regular spring and fall surveys between Martha's Vineyard and Cape Hatteras in the fall of 2007.

Abundance trends continue to be monitored primarily through fishery-dependent sources. The states and the SEFSC monitor catch data through the cooperative commercial statistics collection program and the recreational fisheries survey. Commercial trip reports are tallied more frequently in the winter and early spring by the state of Florida and NMFS as the commercial quota is approached.

North Carolina also conducts fishery independent monitoring. Three fishery independent gill net surveys were initiated by the North Carolina Division of Marine Fisheries in May of 2001, 2003 and 2008, respectively. These surveys utilize a stratified random sampling scheme designed to characterize the size and age distribution for key estuarine species in Atlantic Ocean and Pamlico Sound as well as the Pamlico, Pungo, Neuse, Cape Fear and New rivers. The overall Spanish Mackerel CPUE was very low for all areas except the Atlantic Ocean where the 2014 CPUE was 0.64 (n=16).

VI. Status of Management Measures

2008 Framework Adjustment (Federal)

In February 2008, NOAA Fisheries finalized a framework adjustment to change the beginning date for trip limits in the Atlantic Spanish Mackerel fishery off the east coast of Florida. The 3,500 pound trip limit begins March 1 each year to correspond with the beginning of the fishing year (as changed in Amendment 15).

Omnibus Amendment (Interstate)

In August 2011, the Management Board approved an amendment to the Spanish Mackerel FMP to address three issues: compliance measures, consistency with federal management in the exclusive economic zone, and alignment with Commission standards. Through the Omnibus Amendment, the following fisheries management measures are required for states within the management unit range;

Recreational Fishery

- 12" Fork Length (FL) or 14" Total Length (TL) minimum size limit
- 15 fish creel limit
- Must be landed with head and fins intact
- Calendar year season
- Prohibited gear: Drift gill nets prohibited south of Cape Lookout, NC
- Decrease in the recreational quota the following year via reduced bag limits if the Total Annual Catch Limit (ACL) is exceeded and stock is overfished.

Commercial Fishery

- Prohibited: purse seines; drift gill nets south of Cape Lookout, NC
- 12" FL or 14" TL minimum size limit
- March 1 end of February season
- Trip limits (per vessel, per day)

NY-GA: 3500 lbs

FL: 3500 lbs, 3/1-11/30;

3500 lbs Mon-Fri & 1500 lbs Sat-Sun, 12/1 until 75% adjusted quota taken;

1500 lbs, when 75% adjusted quota taken until 100% adjusted quotas taken; 500 lbs after 100% of adjusted quotas taken (the adjusted quota compensates for estimated catches of 500 lbs per vessel per day to the end of the season)

 Commercial quotas decreased the following year if Total ACL is exceeded and stock is overfished

Amendment 18 (Federal)

In August 2011, the Gulf of Mexico and South Atlantic, Fishery Management Councils approved Amendment 18 to the joint FMP for Coastal Migratory Pelagics. The primary action under consideration established Annual Catch Limits (ACLs) and Accountability Measures (AMs) for the cobia, king mackerel, and Spanish Mackerel. The amendment designates ACLs and ACTs for each of the two migratory groups of Spanish Mackerel (Atlantic and Gulf). For the Atlantic migratory group, the commercial sector ACL is set equivalent to the commercial sector quota of 3.13 million pounds. The AM for the commercial sector is that the commercial sector will close when the commercial quota is reached or projected to be reached. In addition, current trip limit adjustments will remain in place. When the commercial sector closes, harvest and possession of Spanish Mackerel would be prohibited for persons aboard a vessel for which a commercial permit for Spanish Mackerel has been issued.

For the recreational sector, the ACT is set to 2.32 million pounds, while the ACL is set at 2.56 million pounds. Regarding the AM, if the stock ACL is exceeded in any year, the bag limit will be reduced the next fishing year by the amount necessary to ensure recreational landings achieve the recreational ACT, but do not exceed the recreational ACL in the following fishing year. A payback will be assessed if the Atlantic migratory group Spanish Mackerel is determined to be overfished and the stock ACL is exceeded. The payback will include a reduction in the sector ACL for the following year by the amount of the overage by that sector in the prior fishing year.

Addendum I

In August 2013, the Commission's South Atlantic State-Federal Fisheries Management Board approved Addendum I to the Omnibus Amendment to for Spanish Mackerel, Spot, and Spotted Seatrout.

Addendum I to the Omnibus Amendment establishes a pilot program that would allow states to reduce the Spanish Mackerel minimum size limit for the commercial pound net fishery to 11 ½ inches during the summer months of July through September for the 2013 and 2014 fishing years only. The measure is intended to reduce waste of these shorter fish, which are discarded dead in the summer months, by converting them to landed fish that will be counted against the quota.

The Addendum responds to reports about the increased incidence of Spanish Mackerel ¼ to ½ inch short of the 12 inch fork length minimum size limit in pound nets during the summer months. While the fish are alive in the pound, once the net is bunted and bailing commences, they die before being released. This may be due to a combination of temperature, stress and crowding. While individual fishermen have experimented with different wall or panel mesh sizes depending on the target species, there is no consistent use of cull panels. Those who have used cull panels have noted the difficulty and lack of success in being able to release the undersized fish quickly enough to prevent dead discards during this time of year.

The measures in Addendum I only applied for the 2013 and 2014 fishing seasons. In August 2015, the South Atlantic Board formally extended the provisions of Addendum I for the 2015 and 2016

fishing seasons. Reports by North Carolina, the only state to reduce their minimum size, will be reviewed annually.

Amendment 20A (Federal)

Effective July 2014, this Amendment addresses the sale of bag limit caught Spanish Mackerel. The amendment rose from concerns that the recreational sales of bag limit caught fish, which are counted toward commercial quotas, are contributing to early closures of the commercial sector. In addition potential double counting of these fish could be causing erroneous landings estimates. In response, the Amendment prohibits bag limit sales with the exception of recreationally caught fish from state permitted tournaments in the South Atlantic region. This amendment also included an action to remove income requirements for federal CMP permits.

South Atlantic CMP Framework Action (Federal)

Effective December 2014, this action allows Spanish Mackerel, harvested with gillnet gear in the South Atlantic in excess of the trip limit, to be transferred to another federally permitted vessel that has not yet harvested the trip limit. The Framework stipulates that the transfer can only occur if: 1) allowable gillnet gear was used to harvest Spanish Mackerel; 2) the transfer takes place in federal waters between vessels with valid commercial permits; 3) the receiving vessel does not have more than 3 gillnets aboard after the transfer; 4) all fish remain entangled in the meshes of the net until the transfer; 5) the quantity of the fish transferred does not exceed the daily trip limit; and 6) there is only one transfer per vessel per day.

CMP Framework Amendment 1 (Federal)

This Framework Amendment, effective December 2014, increases the Atlantic Spanish Mackerel ACL to 6.063 million pounds. The modification to the ACL followed the 2013 stock assessment which concluded that the stock is not overfished and overfishing is not occurring. The Amendment divides the ACL between the commercial sector (3.33 million pounds) and the recreational sector (2.727 million pounds).

Amendment 20B (Federal)

Effective March 2015, this Amendment separates commercial quotas of Atlantic Spanish Mackerel between a Northern zone (north of NC/SC line) and a Southern zone (South of NC/SC line). The Amendment rose from concerns that the commercial quota could be filled by fishermen in one state before fish are available to fishermen in another state. In order to prevent this from happening, a zone is closed when its respective quota is met. Quota for each zones was based on landings from 2002/2003-2011/2012.

CMP Framework Amendment 2 (Federal)

Implemented July 2015, this Amendment modifies the commercial trip limit system in the Southern zone. The rule establishes a trip limit of 3,500 lbs for Spanish Mackerel in Federal waters offshore of South Carolina, Georgia, and Florida. When 75% of the adjusted southern zone commercial quota is caught, the commercial trip limit is reduced to 1,500 lbs. When 100% of the adjusted southern zone commercial quota is met, the commercial trip limit is further reduced to 500 lbs. This limit remains until the end of the year or the quota is met.

VII. Implementation of FMP Compliance Requirements for 2013

All states must implement the requirements specified in section 5 (5.1 Mandatory Compliance Elements for States; 5.1.1 Mandatory Elements of State Programs; 5.1.1.1 Regulatory Requirements). The PRT finds all states in compliance.

De minimis Guidelines

A state qualifies for *de minimis* status if its past 3-years' average of the combined commercial and recreational catch is less than 1% of the past 3-years' average of the coastwide combined commercial and recreational catch. Those states that qualify for *de minimis* are not required to implement any monitoring requirements, none of which are included in the plan.

De Minimis Requests

The states of New Jersey, Delaware, and Georgia request *de minimis* status. The PRT notes these states meet the requirements of *de minimis*.

Regulation Changes

Georgia

As of January 1, 2014, Spanish Mackerel no longer have a fishing season. Size and bag limits will stay the same.

Florida

Effective October 12, 2015:

68B-23.006 Other Prohibitions.

- (1) It is unlawful for any person to possess, transport, buy, sell, exchange or attempt to buy, sell or exchange any Spanish Mackerel harvested in violation of this chapter.
- (2) The Commission shall issue a permit pursuant to Rule 68B-2.010, F.A.C., to authorize Spanish Mackerel caught in an organized tournament to be donated to a licensed wholesale dealer.
- (3) The prohibitions of this chapter apply as well to any and all persons operating a vessel in state waters, who shall be deemed to have violated any prohibition which has been violated by another person aboard such vessel.

VIII. Recommendations of the Plan Review Team

Research and Monitoring Recommendations

High Priority

- Length, sex, age, and CPUE data are needed for improved stock assessment accuracy. Simulations on CPUE trends should be explored and impacts on VPA and assessment results determined. Data collection is needed for all states, particularly those north of North Carolina.
- Evaluation of weight and especially length at age of Spanish Mackerel.
- Development of fishery-independent methods to monitor stock size of Atlantic Spanish Mackerel (consider aerial surveys used in south Florida waters).
- More timely reporting of mid-Atlantic catches for quota monitoring.
- Provide better estimates of recruitment, natural mortality rates, fishing mortality rates, and standing stock. Specific information should include an estimate of total amount caught and distribution of catch by area, season, and type of gear.
- Develop methodology for predicting year class strength and determination of the relationship between larval abundance and subsequent year class strength.
- Commission and member states should support and provide the identified data & input needed to improve the SAFMC's SEDAR process.
- The full implementation of ecosystem-based management and the implementation of monitoring/research efforts needed to support ecosystem-based management needs should be conducted.

Medium Priority

- Yield per recruit analyses should be conducted relative to alternative selective fishing patterns.
- Determine the bycatch of Spanish Mackerel in the directed shrimp fishery in Atlantic Coastal waters (partially met: Branstetter, 1997; Ottley et al., 1998; Gaddis et al., 2001; Page et al., 2004).
- Evaluate potential bias of the lack of appropriate stratification of the data used to generate age-length keys for Atlantic and Gulf Spanish Mackerel.
- Evaluate CPUE indices related to standardization methods and management history, with emphasis on greater temporal and spatial resolution in estimates of CPUE.
- Consideration of MRFSS add-ons or other mechanisms for collection of socioeconomic data for recreational and commercial fisheries.
- Determine normal Spanish Mackerel migration routes and changes therein, as well as the climatic or other factors responsible for changes in the environmental and habitat conditions which may affect the habitat and availability of stocks.
- Determine the relationship, if any, between migration of prey species (i.e., engraulids, clupeids, carangids), and migration patterns of the Spanish Mackerel stock.

Low Priority

- Final identification of Spanish Mackerel stocks through multiple research techniques.
- Complete research on the application of assessment and management models relative to dynamic species such as Spanish Mackerel.
- Delineation of spawning areas and areas of larval abundance through temporal and spatial sampling.

IX. References

- Branstetter, S. 1997. Final implementation of high-priority objectives of a bycatch reduction research program for the Gulf of Mexico and South Atlantic shrimp fishery. NMFS 93-SER-059.
- Gaddis, G., D. Haymans, J.L. Music, Jr., and J. Page. 2001. Interstate fisheries management planning and implementation. Final Report. Award No. NA86FG0116. USDOC/NOAA/NMFS. Atlantic Coastal Fisheries Management Act (P.L. 103-206).
- GMFMC (Gulf of Mexico Fishery Management Council)/SAFMC (South Atlantic Fishery Management Council). 2011. Amendment 18 to the fishery management plan for coastal migratory pelagic resources in the Gulf of Mexico and Atlantic regions. Available at: http://safmc.net/Library/pdf/Final_CMP_Amend18.pdf
- GMFMC (Gulf of Mexico Fishery Management Council)/SAFMC (South Atlantic Fishery Management Council). 2013. Amendment 20A to the fishery management plan for coastal migratory pelagic resources in the Gulf of Mexico and Atlantic regions. Available at:
 - $http://sero.nmfs.noaa.gov/sustainable_fisheries/gulf_sa/cmp/2014/am20a/documents/pdfs/cmp_am20a_ea.pdf$
- GMFMC (Gulf of Mexico Fishery Management Council)/SAFMC (South Atlantic Fishery Management Council). 2014. Amendment 20B to the fishery management plan for coastal migratory pelagic resources in the Gulf of Mexico and Atlantic regions. Available at:
 - http://sero.nmfs.noaa.gov/sustainable_fisheries/gulf_sa/cmp/2014/am20b/documents/pdfs/cmp_a20b_ea.pdf
- Mackerel Stock Assessment Panel (MSAP). 2003. 2003 Report of the Mackerel Stock Assessment Panel. Award No. NA17FC2203 and NA17FC1053. Gulf of Mexico Fishery

- Management Council, Tampa, Florida & South Atlantic Fishery Management Council, Charleston, South Carolina. 31 pp.
- Ottley, A., C.N. Belcher, B. Good, J.L. Music, Jr., and C. Evans. 1998. Interstate fisheries management planning and implementation. Final Report. Award No. NA57FG0170. USDOC/NOAA/NMFS. Atlantic Coastal Fisheries Management Act (P.L. 103-206).
- Page, J., D. Haymans, and P. Geer. 2004. Interstate fisheries management planning and implementation. Final Report. Award No. NA16FG1219. USDOC/NOAA/NMFS. Atlantic Coastal Fisheries Management Act (P.L. 103-206).
- SAFMC (South Atlantic Fishery Management Council). 2013. South Atlantic Coastal Migratory Pelagics Framework Action 2013 for the fishery management plan for coastal migratory pelagic resources in the Gulf of Mexico and Atlantic regions. Available at: http://safmc.net/sites/default/files/Resource%20Library/pdf/CMPFramework_DecisionDoc_Sept2013_draft.pdf
- SAFMC (South Atlantic Fishery Management Council). 2014. Framework Amendment 1 to the fishery management plan for coastal migratory pelagic resources in the Gulf of Mexico and Atlantic regions. Available at:

 http://safmc.net/sites/default/files/Resource%20Library/pdf/CMP%20Am/CMPFrameworkAmendment1_29May2014_FINAL.pdf
- SAFMC (South Atlantic Fishery Management Council). 2014. Framework Amendment 2 to the fishery management plan for coastal migratory pelagic resources in the Gulf of Mexico and Atlantic regions. Available at:

 http://sero.nmfs.noaa.gov/sustainable_fisheries/gulf_sa/cmp/2014/framework_am2/documents/pdfs/cmp_frameworka2_ea.pdf
- SEDAR. 2012. SEDAR 28- South Atlantic Spanish Mackerel Stock Assessment Report. SEDAR, North Charleston SC. 438 pp. available online at: http://www.sefsc.noaa.gov/sedar/Sedar_Workshops.jsp?WorkshopNum=28

X. Figures

Figure 1. Estimated total biomass (metric tons) at start of year. Horizontal dashed line indicates B_{MSY} . (SEDAR 2012).




Figure 2. Estimated time series of Atlantic group Spanish mackerel fishing mortality rate (**F**) **relative to F**_{MSY} **benchmark.** Solid line indicates estimates from base run of the Beaufort Assessment Model; gray error bands indicate 5th and 95th percentiles of the Monte Carlo Bootstrap analysis trials (SEDAR 2012).




Figure 3. Commercial and recreational harvest (pounds) of Spanish mackerel, 1960-2014 (Recreational data available from 1981-present only; see Tables 2 and 4 for values and sources)





Figure 4. Recreational harvest and releases (numbers of fish) of Spanish mackerel, 1981-2014 (See Tables 3 and 5 for values and sources)



XI. Tables

Table 1. Summary of state regulations for Spanish mackerel in 2014

Notes: A commercial license is required to sell Spanish mackerel in all states; other general gear restrictions apply to the harvest of Spanish mackerel.

| State | Recreational | Commercial |
|-------|-------------------|--|
| NY | 14" TL, 15 fish | 14" TL. 3,500 lb trip limit |
| NJ | 14" TL, 10 fish | 14" TL. |
| DE | 14" TL, 15 fish | 14" TL. 3,500 lb trip limit |
| MD | 14" TL, 15 fish | 14" TL. 3,500 lb trip limit |
| PRFC | 14" TL, 15 fish | 14" TL. Closure if/when federal waters close. |
| VA | 14" TL, 15 fish | 14" TL. 3,500 lb trip limit. Closure if/when federal |
| | | waters close. |
| NC | 12" FL, 15 fish | 12" FL. 3,500 lb trip limit (Spanish and king mackerel |
| | | combined). Purse gill nets prohibited. 11½" FL for pound |
| | | net fishery July 3-Sept 30. |
| SC | 12" FL, 15 fish | 12" FL. 15 fish. Closure if/when federal waters close. |
| GA | 12" FL, 15 fish | 12" FL. 15 fish. |
| FL | 12" FL, 15 fish. | 12" FL. Trip limits: April 1 until Nov. 30 - 3500 lb; Dec. |
| | Transfer to other | 1 until 75% of adjusted quota reached – 3500 lb Mon-Fri. |
| | vessels at sea is | & 1500 lb Sat-Sun; >75% adjusted quota until quota |
| | prohibited. | filled -1500 lb; > 100% of adjusted quota - 500 lb. |
| | Cast nets less | Restricted Species Endorsement Required |
| | than 14' and | Transfer of fish between vessels prohibited |
| | beach or haul | Allowed gear: beach or haul seine, cast net, hook and |
| | seines with no | line, or spearing |
| | greater than 2" | |
| | stretched mesh | |
| | allowed | |

Table 2. Commercial landings (pounds, calendar year) of Spanish mackerel by state, 1981-2014 (Source: NMFS Fisheries Statistics Division)

| Year | NY | NJ | MD | VA | NC | SC | GA | FL | Total |
|------|---------|--------|--------|---------|---------|-------|-------|-----------|-----------|
| 1981 | 500 | 500 | | 3,500 | 51,639 | | 518 | 4,174,432 | 4,231,089 |
| 1982 | 1,000 | 200 | | 12,700 | 189,217 | 1,081 | 745 | 3,758,603 | 3,963,546 |
| 1983 | 600 | 100 | | 3,500 | 41,336 | 706 | | 5,947,102 | 5,998,544 |
| 1984 | 300 | 100 | | 10,000 | 127,467 | 1,321 | | 2,397,373 | 2,536,561 |
| 1985 | 100 | | | 15,300 | 173,186 | 847 | | 3,244,980 | 3,434,413 |
| 1986 | 3,200 | 1,500 | | 168,400 | 232,197 | 6,375 | 1,335 | 4,003,738 | 4,417,345 |
| 1987 | 16,600 | 24,000 | 4,800 | 251,200 | 504,063 | 961 | 255 | 3,497,135 | 4,319,914 |
| 1988 | 19,200 | 16,900 | 4,300 | 291,600 | 438,222 | 1,029 | 726 | 3,071,687 | 3,847,064 |
| 1989 | 17,700 | 24,100 | 10,400 | 354,400 | 589,383 | 1,605 | | 2,853,177 | 3,872,065 |
| 1990 | 24,329 | 28,336 | 43,411 | 491,651 | 838,914 | 384 | 491 | 1,979,081 | 3,418,712 |
| 1991 | 149,321 | 77,151 | 62,688 | 447,127 | 858,808 | 444 | 197 | 2,986,871 | 4,611,835 |
| 1992 | 31,873 | 51,751 | 37,930 | 271,313 | 738,362 | 1,952 | 71 | 2,022,961 | 3,159,098 |
| 1993 | 42,063 | 23,036 | 9,445 | 335,688 | 589,868 | 480 | 95 | 3,902,240 | 4,905,763 |
| 1994 | 124,733 | 19,915 | 3,363 | 376,818 | 531,355 | 362 | | 3,099,780 | 4,160,492 |
| 1995 | 9,136 | 2,153 | 3,089 | 168,732 | 402,305 | | | 3,064,926 | 3,662,760 |
| 1996 | 17,980 | 40,821 | | 283,750 | 401,546 | | | 2,244,667 | 2,991,287 |
| 1997 | 31,107 | 12,122 | 3,033 | 164,639 | 766,901 | | | 2,269,289 | 3,247,192 |
| 1998 | 37,238 | 13,242 | 13,204 | 121,109 | 372,440 | | | 2,498,461 | 3,055,874 |
| 1999 | 47,831 | 17,144 | 21,604 | 251,626 | 459,120 | | | 1,566,706 | 2,366,714 |
| 2000 | 35,825 | 11,757 | 26,607 | 168,679 | 659,431 | | | 1,675,473 | 2,577,960 |
| 2001 | 13,851 | 9,401 | 18,899 | 178,849 | 653,491 | | | 2,115,782 | 3,010,325 |
| 2002 | 18,741 | 11,196 | 20,725 | 102,454 | 698,463 | | | 1,995,212 | 2,846,856 |
| 2003 | 18,339 | 5,432 | 5,239 | 103,409 | 456,794 | | | 2,740,632 | 3,330,725 |
| 2004 | 16,921 | 3,060 | 4,881 | 66,482 | 456,243 | | | 3,066,186 | 3,619,942 |
| 2005 | 5,197 | 2,074 | 7,750 | 43,126 | 446,013 | | | 3,133,772 | 3,638,226 |
| 2006 | 5,720 | 1,456 | 290 | 43,192 | 470,669 | | | 3,142,721 | 3,665,534 |
| 2007 | 7,244 | 2,075 | 3,734 | 58,064 | 487,891 | | | 3,264,452 | 3,825,603 |
| 2008 | 2,513 | | 6,192 | 156,011 | 415,416 | | | 2,262,661 | 2,844,947 |
| 2009 | 3,462 | 3,324 | 11,570 | 138,292 | 961,836 | | | 2,629,343 | 3,748,048 |
| 2010 | 3,713 | 829 | 4,939 | 47,562 | 911,878 | 0 | 0 | 3,553,155 | 4,522,605 |
| 2011 | 1,149 | 305 | 5,054 | 36,314 | 871,217 | | | 3,432,932 | 4,347,674 |
| 2012 | 2,294 | 2,806 | 3,630 | 18,317 | 916,439 | | | 2,596,981 | 3,542,602 |
| 2013 | 4,468 | 264 | 2,392 | 7,746 | 620,752 | 0 | 0 | 2,247,993 | 2,879,545 |
| 2014 | 3,081 | 292 | 1,644 | 7,859 | 673,974 | 17 | 0 | 2,585,473 | 3,272,352 |

2014 REVIEW OF THE ASMFC SPANISH MACKEREL FMP

Table 3. Recreational harvest (numbers) of Spanish mackerel by state, 1981-2014 (NMFS Fisheries Statistics Division)

| Year | NY | NJ | DE | MD | VA | NC | SC | GA | FL | Total |
|------|-------|--------|-------|--------|---------|-----------|---------|--------|---------|-----------|
| 1981 | 0 | 0 | 0 | 0 | 0 | 231,744 | 25,058 | 1,786 | 485,395 | 748,260 |
| 1982 | 0 | 0 | 0 | 0 | 0 | 694,420 | 21,092 | 408 | 173,648 | 889,568 |
| 1983 | 0 | 0 | 0 | 0 | 0 | 6,156 | 3,279 | 2,109 | 117,532 | 129,076 |
| 1984 | 0 | 0 | 0 | 0 | 0 | 618,313 | 79,855 | 3,718 | 248,047 | 949,933 |
| 1985 | 0 | 0 | 0 | 0 | 0 | 344,965 | 36,605 | 4,809 | 84,227 | 470,606 |
| 1986 | 0 | 1,479 | 0 | 457 | 6,942 | 431,020 | 147,358 | 25,257 | 195,385 | 807,898 |
| 1987 | 1,417 | 0 | 0 | 8,036 | 1,520 | 815,920 | 65,846 | 20,925 | 118,184 | 1,031,848 |
| 1988 | 0 | 0 | 0 | 0 | 101,691 | 1,312,070 | 82,135 | 4,404 | 233,582 | 1,733,882 |
| 1989 | 1,010 | 22,067 | 0 | 0 | 73,236 | 679,360 | 121,115 | 7,444 | 213,665 | 1,118,217 |
| 1990 | 1,725 | 2,495 | 319 | 1,355 | 63,821 | 821,334 | 81,375 | 31,568 | 225,263 | 1,229,658 |
| 1991 | 7,608 | 25,072 | 2,054 | 41,250 | 68,102 | 676,718 | 132,198 | 2,391 | 517,290 | 1,484,005 |
| 1992 | 1,325 | 10,549 | 210 | 4,847 | 71,265 | 701,974 | 62,546 | 25,737 | 370,808 | 1,249,261 |
| 1993 | 2,681 | 3,458 | 0 | 43,050 | 73,832 | 451,523 | 92,621 | 12,980 | 219,458 | 899,791 |
| 1994 | 0 | 7,910 | 0 | 43,710 | 145,871 | 535,949 | 113,991 | 15,235 | 252,668 | 1,115,334 |
| 1995 | 0 | 0 | 0 | 26,216 | 86,899 | 285,882 | 34,355 | 16,726 | 226,334 | 676,412 |
| 1996 | 0 | 1,172 | 0 | 0 | 69,399 | 355,036 | 134,282 | 16,948 | 245,085 | 821,922 |
| 1997 | 0 | 0 | 0 | 0 | 68,517 | 585,765 | 101,067 | 28,396 | 246,885 | 1,030,630 |
| 1998 | 0 | 4,046 | 186 | 3,633 | 33,139 | 239,051 | 65,584 | 28,002 | 244,235 | 617,876 |
| 1999 | 0 | 1,335 | 226 | 1,220 | 75,972 | 476,018 | 27,477 | 9,007 | 327,621 | 919,314 |
| 2000 | 4,453 | 923 | 0 | 15,220 | 71,249 | 671,353 | 28,282 | 20,545 | 547,315 | 1,360,868 |
| 2001 | 802 | 0 | 0 | 8,025 | 29,591 | 400,706 | 43,501 | 11,013 | 774,065 | 1,270,264 |
| 2002 | 0 | 0 | 0 | 0 | 17,433 | 401,981 | 24,235 | 1,927 | 926,599 | 1,372,175 |
| 2003 | 0 | 0 | 0 | 6,975 | 17,063 | 349,170 | 24,879 | 11,235 | 784,385 | 1,197,080 |
| 2004 | 0 | 813 | 0 | 4,180 | 28,300 | 326,780 | 56,524 | 7,412 | 368,998 | 794,345 |
| 2005 | 0 | 0 | 0 | 14,349 | 10,573 | 335,760 | 70,124 | 12,853 | 512,607 | 956,266 |
| 2006 | 0 | 1,079 | 0 | 4,408 | 40 | 306,273 | 23,529 | 1,555 | 322,789 | 659,673 |
| 2007 | 0 | 0 | 0 | 20,049 | 16 | 495,476 | 94,635 | 15,539 | 455,689 | 1,081,404 |
| 2008 | 0 | 344 | 0 | 7,515 | 83,904 | 744,140 | 52,726 | 14,682 | 503,398 | 1,406,709 |
| 2009 | 0 | 215 | 0 | 19,901 | 16,452 | 677,787 | 73,611 | 4,476 | 368,615 | 1,161,057 |
| 2010 | 0 | 0 | 0 | 5,580 | 20,524 | 483,956 | 70,350 | 4,956 | 512,295 | 1,097,661 |
| 2011 | 0 | 0 | 0 | 10,554 | 35,054 | 367,086 | 87,110 | 7,486 | 406,067 | 913,357 |
| 2012 | 0 | 0 | 0 | 2,962 | 11,847 | 491,238 | 80,204 | 2,119 | 246,865 | 835,235 |
| 2013 | 0 | 0 | 43 | 2,905 | 61,308 | 497,329 | 22,414 | 1,299 | 534,042 | 1,119,336 |
| 2014 | 0 | 0 | 0 | 5,494 | 17,521 | 398,398 | 80,935 | 1,903 | 381,839 | 886,235 |

2014 REVIEW OF THE ASMFC SPANISH MACKEREL FMP

Table 4. Recreational harvest (pounds) of Spanish mackerel by state, 1981-2014 (NMFS Fisheries Statistics Division)

| Year | NY | NJ | DE | MD | VA | NC | SC | GA | FL | Total |
|------|--------|--------|-------|--------|---------|-----------|---------|---------|-----------|-----------|
| 1981 | | | | | | 423,801 | 53,292 | 4,306 | 808,808 | 1,290,207 |
| 1982 | | | | | | 928,201 | 29,546 | 483 | 251,115 | 1,209,345 |
| 1983 | | | | | | 14,725 | 8,274 | 4,198 | 199,331 | 226,528 |
| 1984 | | | | | | 848,537 | 116,083 | 5,540 | 427,501 | 1,397,661 |
| 1985 | | | | | | 507,545 | 34,445 | 3,547 | 152,113 | 697,650 |
| 1986 | | 2,500 | | 1,008 | 9,709 | 639,105 | 256,157 | 47,941 | 251,673 | 1,208,093 |
| 1987 | 2,890 | | | 14,345 | 2,011 | 1,296,732 | 117,053 | 40,681 | 230,725 | 1,704,437 |
| 1988 | | | | | 160,407 | 2,136,806 | 140,896 | 5,141 | 656,047 | 3,099,297 |
| 1989 | 3,560 | 35,415 | | | 81,107 | 877,911 | 197,982 | 6,162 | 303,485 | 1,506,469 |
| 1990 | 2,332 | 3,320 | 470 | 1,790 | 86,932 | 1,084,167 | 153,932 | 45,748 | 346,585 | 1,725,276 |
| 1991 | 19,612 | 36,096 | 3,062 | 57,249 | 72,708 | 1,056,524 | 291,717 | 3,717 | 887,777 | 2,471,998 |
| 1992 | 3,880 | 16,526 | 302 | 9,634 | 76,411 | 947,065 | 145,451 | 79,818 | 669,160 | 1,948,247 |
| 1993 | 7,590 | 5,280 | | 68,757 | 93,272 | 664,815 | 135,287 | 22,209 | 439,555 | 1,437,345 |
| 1994 | | 8,614 | | 44,969 | 160,610 | 588,035 | 152,836 | 66,949 | 350,679 | 1,372,692 |
| 1995 | | 0 | | 34,705 | 110,433 | 329,466 | 40,995 | 12,072 | 302,632 | 830,303 |
| 1996 | | 0 | | | 80,505 | 385,922 | 184,655 | 31,856 | 413,687 | 1,096,625 |
| 1997 | | 0 | | | 22,233 | 862,497 | 143,297 | 37,877 | 400,148 | 1,466,052 |
| 1998 | | 9,189 | 379 | 5,725 | 57,467 | 305,630 | 106,209 | 112,562 | 408,872 | 1,006,033 |
| 1999 | | 2,207 | 240 | 1,715 | 79,602 | 469,258 | 44,917 | 10,031 | 578,123 | 1,187,396 |
| 2000 | 10,798 | 1,119 | | 20,642 | 83,297 | 671,616 | 30,543 | 47,137 | 946,395 | 1,816,600 |
| 2001 | 1,168 | 0 | | 14,526 | 42,047 | 499,829 | 46,945 | 23,056 | 1,232,506 | 1,870,428 |
| 2002 | | 0 | | | 12,163 | 475,742 | 47,057 | 4,795 | 1,475,232 | 2,014,989 |
| 2003 | | 0 | | 9,762 | 22,030 | 446,052 | 29,107 | 34,855 | 1,021,204 | 1,563,010 |
| 2004 | | 2,150 | | 14,434 | 36,497 | 558,968 | 147,609 | 11,799 | 915,099 | 1,686,556 |
| 2005 | | 0 | | 38,946 | 14,459 | 359,927 | 138,517 | 16,296 | 1,088,720 | 1,656,865 |
| 2006 | | 2,914 | | 6,400 | 70 | 454,749 | 83,069 | 2,487 | 807,327 | 1,357,016 |
| 2007 | | 0 | 0 | 25,276 | 29 | 729,687 | 119,207 | 26,513 | 1,003,340 | 1,904,052 |
| 2008 | | 513 | 0 | 11,550 | 112,619 | 783,330 | 75,583 | 31,041 | 930,923 | 1,945,559 |
| 2009 | | 302 | 0 | 42,300 | 24,663 | 892,632 | 101,614 | 13,272 | 708,270 | 1,783,053 |
| 2010 | | 0 | | 13,995 | 26,338 | 582,550 | 136,648 | 5,168 | 1,034,480 | 1,799,179 |
| 2011 | | 0 | | 22,630 | 41,325 | 194,521 | 72,631 | 9,439 | 873,604 | 1,214,150 |
| 2012 | | 0 | | 5,223 | 17,806 | 665,168 | 98,316 | 4,536 | 412,001 | 1,203,050 |
| 2013 | | | 43 | 6,949 | 68,205 | 625,035 | 50,865 | 2,158 | 646,996 | 1,400,263 |
| 2014 | 0 | 0 | 0 | 12,440 | 19,522 | 441,511 | 126,345 | 2,356 | 534,575 | 1,136,749 |

2014 REVIEW OF THE ASMFC SPANISH MACKEREL FMP

Table 5. Recreational releases (numbers) of Spanish mackerel by state, 1981-2014 (NMFS Fisheries Statistics Division)

| Year | NY | NJ | DE | MD | VA | NC | SC | GA | FL | Total |
|------|-------|--------|-------|-------|--------|---------|---------|--------|---------|---------|
| 1981 | | | | | | 5,616 | 0 | 0 | 56,374 | 61,990 |
| 1982 | | | | | | 0 | 0 | 0 | 6,613 | 6,613 |
| 1983 | | | | | | 0 | 0 | 515 | 4,929 | 5,444 |
| 1984 | | | | | | 2,931 | 1,300 | 0 | 21,797 | 26,028 |
| 1985 | | | | | | 27,753 | 3,862 | 0 | 23,316 | 54,931 |
| 1986 | | 0 | | 0 | 74 | 280,252 | 7,879 | 605 | 20,469 | 309,279 |
| 1987 | 0 | | | 0 | 13,947 | 28,136 | 5,506 | 2,916 | 7,197 | 57,702 |
| 1988 | | | | | 0 | 17,413 | 27,019 | 2,456 | 18,334 | 65,222 |
| 1989 | 0 | 0 | | | 10,286 | 64,749 | 73,983 | 391 | 83,682 | 233,091 |
| 1990 | 257 | 0 | 0 | 0 | 21,094 | 76,940 | 26,929 | 0 | 35,520 | 160,740 |
| 1991 | 0 | 2,674 | 1,092 | 1,747 | 28,777 | 133,601 | 19,331 | 57 | 190,602 | 378,740 |
| 1992 | 0 | 0 | 0 | 0 | 18,072 | 180,235 | 15,515 | 3,859 | 113,062 | 331,329 |
| 1993 | 0 | 1,160 | | 2,684 | 70,081 | 81,927 | 15,966 | 0 | 74,052 | 246,454 |
| 1994 | 1,059 | 50,743 | | 0 | 91,832 | 241,082 | 207,055 | 0 | 136,041 | 727,812 |
| 1995 | 7,297 | 1,269 | | 1,562 | 24,467 | 145,845 | 14,159 | 2,594 | 129,469 | 326,662 |
| 1996 | | 0 | | | 28,951 | 103,067 | 83,543 | 139 | 167,411 | 383,111 |
| 1997 | | | 338 | | 22,658 | 140,704 | 62,356 | 0 | 168,815 | 394,871 |
| 1998 | | 0 | 0 | 1,075 | 49,429 | 80,700 | 32,087 | 7,351 | 87,804 | 258,446 |
| 1999 | 1,415 | 2,670 | 0 | 0 | 36,276 | 205,870 | 46,400 | 495 | 185,106 | 478,232 |
| 2000 | 0 | 0 | 608 | 1,656 | 82,227 | 300,384 | 47,273 | 16,479 | 353,042 | 802,336 |
| 2001 | 1,657 | 4,907 | 825 | 7,265 | 30,158 | 160,591 | 9,711 | 3,188 | 285,738 | 506,311 |
| 2002 | | | | 4,449 | 9,923 | 196,967 | 9,206 | 8,641 | 554,743 | 783,929 |
| 2003 | | | | 6,994 | 20,539 | 164,787 | 223,116 | 6,501 | 445,965 | 867,902 |
| 2004 | | 0 | | 386 | 14,456 | 149,542 | 84,747 | 2,900 | 207,784 | 462,668 |
| 2005 | | | | 2,169 | 0 | 180,326 | 184,637 | 4,056 | 248,636 | 619,824 |
| 2006 | | 0 | | 564 | 8,504 | 96,413 | 27,640 | 9,236 | 140,986 | 283,343 |
| 2007 | | | | 8,461 | 279 | 257,841 | 96,779 | 54,044 | 197,529 | 614,933 |
| 2008 | | 0 | | 6,951 | 37,850 | 449,095 | 67,686 | 5,300 | 363,542 | 930,424 |
| 2009 | | 26,741 | | 3,630 | 20,980 | 313,030 | 55,600 | 982 | 149,825 | 570,788 |
| 2010 | | | | 0 | 33,103 | 294,350 | 28,200 | 65 | 282,252 | 637,970 |
| 2011 | | | | 0 | 28,526 | 170,926 | 67,144 | 10,131 | 147,399 | 424,126 |
| 2012 | | | | 0 | 17,150 | 234,905 | 98,371 | 1,724 | 88,592 | 440,742 |
| 2013 | | | 94 | 0 | 5,583 | 289,216 | 24,862 | 0 | 365,107 | 684,862 |
| 2014 | | 0 | 0 | 881 | 3,450 | 240,731 | 36,082 | 851 | 208,266 | 490,261 |